

# SOUND-DESK

---

**RCS**<sup>®</sup>  
mobile sound



- Hotels, Schools and Residential Homes
  - Community Centres
  - Clubs and Associations
  - Exhibitions and Trade-Fairs
  - Sporting Events
  - Advertising and Sales Promotion
-



- innovated Design
- UHF Wireless Technology (16 frequencies)
- Music and Speech
- High Performance Speaker System

**SOUND-DESK:** This name stands for an innovated lectern with a built-in sound system for perfect presentation. The powerful 60/120 Watt amplifier is aligned to the speaker line-construction inside the base.

It is possible to extend the system with the integrated bridge-technique with further systems, and put acoustic irradiation into practice for every room size.

Please consider the following features:

- Due to its construction the SOUND-DESK is one of the highest performance lecterns on the market.
- The case made of aluminium and ABS presents itself in an attractive and classic design.
- The system comes with a 55 cm gooseneck microphone.
- DESK-LIGHT (optional): Integrated battery operated manuscript light for use in dark rooms.
- You can install a maximum of two UHF wireless receivers which have two separate volume controls.
- The built-in battery allows cable-free use for several hours.

**SOUND-DESK**, max. 120 W, black or white ..... **SD-120**

**SOUND-DESK**, max. 120 W, black or white ..... **SD-120 U1**  
with built-in 1-channel UHF wireless mic receiver

**SOUND-DESK**, max. 120 W, black or white ..... **SD-120 U2**  
with built-in 2-channel UHF wireless mic receiver

Please state when ordering:

Color :      **B = black**      **W = white**



### Additional Active-Speaker

The SR-120 is the speaker sound system to compliment the SOUND-DESK. This active sound system together with the SOUND-DESK enables users to reach an audience of boundless capacities. The Bridge Technology makes it simple to connect the systems.

The impressive construction of the SR-120 ensures high-fidelity. Obviously you can use the UHF technology system to create wireless networks.


**Additional Active-Speaker**, max. 120W ..... **SR-120**

**Additional Active-Speaker**, max. 120W ..... **SR-120 U1**  
with built-in 1-channel UHF wireless mic receiver

Please state when ordering:

Color:      **B = black**      **W = white**

**Floor Stand for Additional Active-Speaker** ..... **ST-120**



## UHF-Accessories:

### UHF-Hand Microphone

This UHF-Hand Microphone is equipped with a premium condenser microphone capsule. Mute-Function for noise free switch on. The power supply results from 2 Mignon-Batteries.



UHF-Hand Microphone (863-865 MHz) ..... **MH-016**

### UHF-Bodypack (for LA-100 or HS-100)

Bodypack-Transmitter with 16 eligible frequencies. The input sensitivity is changeable in order to be able to induct Mic- and Line signals. The power supply results from 2 Mignon-Batteries.



UHF-Bodypack (863-865 MHz) ..... **MB-016**

### Lavalier-Microphone


Condenser microphone completed in ball-characteristic. Delivery includes an 90 cm long connecting cable and a clip.



Lavalier-Microphone ..... **LA-100**

### Headset or Neckworn-Microphone

Condenser-Neckworn microphone, completed in ball-characteristic. High carrying comfort, matching the Bodypack-Transmitter MB-016. Cable length approx. 100 cm.



Headset-Microphone ..... **HS-100**

Neckworn-Microphone ..... **CM-100**

Adapter-Cable (LINE), 1 m ..... **AC-200 K**

Adapter-cable for the input of external linesignals into the bodypack MB-016. Assembly: Jack 6,3 to Jack 3,5 mm.

### Dynamic Microphone

with 5 m cable



Great quality dynamic Handmicrophone with cardioid characteristics. It does not have back coupling problems and wind- and pop-protection are integrated.

### Dynamic Microphone

Jack, unbalanced ..... **DM-200 K**

### Venyl-Cover



This heavy duty Vinyl-Cover for storage of the SOUND-DESK with an integrated pocket for accessories.

### Venyl-Cover ..... **VC-120**

with integrated Accessories bag

This rip-proof, water resistant, vinyl and fabric bag has two inner pockets for up to three stands, a zip closure and carry handles.



### Speaker Stand Carrier Bag ..... **CB-130**

for up to 2 speaker tripods and 1 mic stand

### Connecting Cable, 30 m for Add on Speaker ..... **AC-300**

### Desk-Light

Manuscript light (optional) for the SOUND-DESK. The battery powered energy-saving Desk-Light enables exact adjustment as it has a flexible gooseneck.



### Desk-Light ..... **DL-120**

Battery operated Desk-Light

### Microphone Stand



### Mic Stand ..... **BS-195**

With adjustable boom extension (170 cm)



### Mic Holder ..... **MH-800**

for Wireless Hand mic



### Tabletop Mic Stand ..... **TS-060**

With adjustable boom extension (40 cm)

Technical Data	SOUND-DESK
Output rate	60 W RMS / 120 W program
Power	AC 90 V – 260 V, 50/60 Hz, Battery 7,2 Ah
Battery operating time	up to 8 hours
Microphone	high quality 55 cm / gooseneck
Input - MIC	2 x MIC mit LED-Indicator for wireless systems
Input - AUX	-10 dBV / 20 KOhm
Output	0 dB / 600 Ohm
Frequency range/distortion factor	90 Hz – 15.000 KHz ±3 dB
Tone control	single EQ
Speaker	4 x 30 W broadband
UHF-Receiver System	UHF 16 frequencies (863-865 MHz)
Case	ALU; ABS
Dimensions / Weight	550 (W) x 1080 (L) x 432 mm (D) / 21,5 kg

Technical Data	Additional Active-Speaker (SR-120)
Output rate	60 W RMS / 120 W program
Power	AC 90 V – 260 V, 50/60 Hz, Battery 7,2 Ah
Battery operating time	up to 8 hours
Input - MIC	2 x MIC mit LED-Indicator for wireless system
Input - AUX	-22 dBV / 600 Ohm
Output	0 dB / 600 Ohm
Output/Input - Bridge	IN -12 dB 50K / OUT -12 dBV 600 K
Speaker	4 x 30 W broadband
UHF-Receiver System	UHF 16 frequencies (863-865 MHz)
Dimensions / Weight	180 (W) x 940 (L) x 145 mm (D) / 12,8 kg
Battery	7,2 Ah

\*